

**An expanded table of contents, figure list, plate list, and table list to accompany
AAPG Memoir 119 “A Geologic Interpretation of the Chukchi Sea Petroleum
Province: Offshore Alaska, USA” by Thomas X. Homza and Steve C. Bergman**

1	INTRODUCTION AND OBJECTIVES	1
	PREVIOUS WORK.....	2
	LOCATION AND JURISDICTION.....	3
	BATHYMETRY AND SEABED FEATURES	3
	EXPLORATION HISTORY.....	5
	Leasing History.....	5
	Drilling History	6
	Seismic Data-Acquisition History	7
	DATABASE.....	7
	Seismic Data	7
	A Note about Regional Interpretations using 2-D Seismic Data.....	11
	Potential Fields Data	11
	Well Data.....	11
	ORGANIZATION OF THE REPORT	11
	Aids to the reader.....	14
	GROSS STRATIGRAPHIC FRAMEWORK	14
2	1ST ORDER STRUCTURAL ELEMENTS	23
	1 ST ORDER NEGATIVE STRUCTURAL ELEMENTS	23
	The Hanna Trough and Hanna Sag Basin	23
	The North Chukchi Basin.....	35
	1 ST ORDER POSITIVE STRUCTURAL ELEMENTS	35
	The Arctic Platform	35
	The North Chukchi High	35
	The Grantz Transpression Zone.....	37
	The Disturbed Belt.....	38
	The Herald Arch	39
	The Chukchi Platform	39
3	STRATIGRAPHIC DESCRIPTIONS.....	47
	ORGANIZATION OF THE STRATIGRAPHIC DESCRIPTIONS	47
	PRE ELLESMERIAN ROCKS	48
	The Franklinian Mega-Sequence Onshore Alaska	48
	The Franklinian Mega-Sequence beneath the Chukchi Shelf	49
	The Pearya-Laurentia Suture beneath the Chukchi Shelf	50
	The Pearya Terrane	51
	The Basement Unconformity onshore.....	51
	The Basement Unconformity beneath the Chukchi Shelf	51
	THE ELLESMERIAN MEGA-SEQUENCE.....	51
	The Endicott Group onshore.....	52
	The Endicott Group beneath the Chukchi Shelf	54
	The Endicott Group in the eastern Hanna Trough.....	54
	The Endicott Group in the Disturbed Belt, northern Hanna Trough	57
	The Endicott Group in the western Hanna Trough	58
	The Endicott Group in the Popcorn area.....	58
	The Endicott Group on the Crackerjack Ridge	59
	The Endicott Group south of the Crackerjack Ridge	61
	The Endicott Group north of the Crackerjack Ridge	61
	The Endicott Group in the Chukchi Evaporite Basin.....	67
	The Lisburne Group onshore	71
	The Lisburne Group beneath the Chukchi Shelf.....	76
	The Lisburne Group in the Diamond Mini-Basin.....	76
	The Lisburne Group in the Burger area	78
	The Lisburne Group between the Hanna Trough and the Alaska coastline.....	78
	The Lisburne Group in the northernmost Hanna Sag Basin.....	78
	The Lisburne Group in the western Hanna Sag Basin	79
	The Lisburne Group above the Crackerjack Ridge.....	79
	The Lisburne Group in the Popcorn area.....	81
	The Lisburne Group in the Southern Hanna Sag Basin	81

The Pre-Echooka unconformity (PEu) onshore	82
The Pre-Echooka unconformity (PEu) beneath the Chukchi Shelf	82
The Sadlerochit Group onshore	84
The Sadlerochit Group beneath the Chukchi Shelf	85
The Echooka Formation	87
The Kavik Shale Member of the Ivishak Formation	87
The Ledge Sandstone Member of the Ivishak Formation	88
The Fire Creek Siltstone Member of the Ivishak Formation	88
The Shublik Formation onshore	88
The Shublik Formation beneath the Chukchi Shelf	89
THE BEAUFORTIAN MEGA-SEQUENCE	94
Beaufortian Sequence Stratigraphy	95
The B1 Sequence	97
The Sag River Formation onshore	97
The Sag River Formation beneath the Chukchi Shelf	100
The Early-to-Middle Jurassic interval onshore	100
The Early-to-Middle Jurassic interval beneath the Chukchi Shelf	105
The Sherwood Basin	107
The Tungak Arch	107
The Middle Jurassic Unconformity onshore (B1-B2 Sequence Boundary)	107
The Middle Jurassic Unconformity beneath the Chukchi Shelf (B1-B2 Sequence Boundary)	108
The B2 Sequence	110
The B2 Sequence onshore	110
The Rift Climax Sub-Basins and related structures beneath the Chukchi Shelf	111
The Burger-Klondike Arch	111
The MJu Volcanic Province	118
The Burger Sub-Basin	120
The Blizzard-Burger Arch	120
The Ulu Sub-Basin	121
The Popcorn-Freezit Sub-Basin	121
The Far North Sub-Basin	123
The B2 Sequence beneath the Chukchi Shelf	125
The B3 Sequence	128
The B3 Sequence onshore	128
The B3-A Sequence	129
The B3-B Sequence	130
The B3-C Sequence	130
The B3-D Sequence	130
The B3 Sequence beneath the Chukchi Shelf	131
The B3 Stratigraphic Model beneath the Chukchi Shelf	131
B3 penetrations beneath the Chukchi Shelf	134
The Lower Cretaceous Unconformity onshore (B3-B4 Sequence Boundary)	135
The Lower Cretaceous Unconformity beneath the Chukchi Shelf (B3-B4 Sequence Boundary)	136
The LCu in the Burger No. 1 well	137
The LCu in the Klondike well	139
The B4 Sequence	140
The B4 Sequence beneath the North Slope	140
The Kuparuk C Equivalents beneath the North Slope	140
The Kalubik Formation beneath the North Slope	142
Equivalents of the B4 Sequence in the eastern outcrop belt	142
Equivalents of the B4 Sequence in the western and central outcrop belt	143
Summary of the B4 Sequence onshore	145
The B4 Sequence beneath the Chukchi Shelf	145
The Kuparuk C equivalent	145
The Kalubik Formation, Popcorn & Kalubik Wedges, and Blizzard Anticline	149
Synopsis of Beaufortian Sequence Stratigraphy	153
The Beaufortian-Brookian Transition	154
THE BROOKIAN MEGA-SEQUENCE	156
Allochthonous Brookian Strata onshore	156
Para-Autochthonous Brookian Strata onshore	157
Allochthonous and para-autochthonous strata beneath the Chukchi Shelf	157
Autochthonous Brookian Strata east of the Chukchi Sea	158
The Lower Brookian megacycle	158
The Middle Brookian megacycle	160
The Upper Brookian megacycle	161
Autochthonous Brookian Strata beneath the Chukchi Shelf	162
The Lower Brookian megacycle	163
The HRZ Equivalent Section	163
The Torok Formation	165
The Nanushuk Formation	167
The Intra-Early Cenomanian Unconformity (ECu)	169
The Middle Brookian megacycle	172
The Cretaceous-Paleocene Unconformity (Kpu)	175
The Cenozoic Upper Brookian megacycle	177
Well Penetrations of the Upper Brookian megacycle	179
Seismic Interpretation of the Upper Brookian megacycle in the Central Paleogene Depocenter	180
Seismic Interpretation of the Upper Brookian megacycle in the North Chukchi Basin	183

	Summary interpretation of the upper Brookian Megacycle beneath the Chukchi Shelf	186
4	HIGHER-ORDER STRUCTURAL ELEMENTS	207
	STRUCTURES ASSOCIATED WITH THE ELLESMERIAN OROGENY	207
	The Ellesmerian Orogenic Front	207
	The Ellesmerian Fold and Thrust Belt and Orogenic Core	208
	Summary of the Ellesmerian Orogenic structures	209
	STRUCTURES ASSOCIATED WITH THE HERALD ARCH.....	210
	The Chukchi Syntaxis	210
	The Orogenic Crest	212
	The Herald Fold-and-Thrust Belt.....	213
	Timing of Herald Arch Deformation.....	214
	Summary of Structures Associated with the Herald Arch	215
	STRUCTURES ASSOCIATED WITH THE CHUKCHI PLATFORM	218
	The Greater Popcorn-Crackerjack Block.....	218
	The Crackerjack Ridge.....	218
	The Popcorn High	220
	The Popcorn Trough	221
	The Southern Chukchi Platform	224
	The Western Province of the Southern Chukchi Platform	224
	The Southern Chukchi Platform Horst-and-Graben Province	225
	The Klondike Horst.....	227
	The Northern Chukchi Platform	227
	The North Chukchi Basin Horst-and-Graben Province.....	228
	The Chukchi Evaporite Basin.....	228
	The Border Graben	231
	Other Horsts and Grabens beneath the North Chukchi Basin	231
	Summary interpretation of the North Chukchi Basin Horst-and-Graben Province.....	232
5	TRANSCURRENT STRUCTURES OF LATE CRETACEOUS AND MIDDLE PALEOCENE AGE.....	237
	THE CENTRAL CHUKCHI ANTICLINORIUM AND THE LATE CRETACEOUS TRANSPRESSIONAL EVENT	238
	The Popcorn Anticline.....	240
	The Burger Anticline	242
	The Klondike Anticline	245
	The Explorer Anticline & the boundary between Thick & Thin-Skinned Late Cretaceous Deformation	247
	Summary Interpretation of the Central Chukchi Anticlinorium and the Late Cretaceous Transpressional Event.....	247
	INVERSION STRUCTURES WITHIN THE CHUKCHI PLATFORM AND NORTH CHUKCHI BASIN.....	248
	INVERSION STRUCTURES IN THE FAR NORTH SUB-BASIN.....	248
	THE CHUKCHI TRANSTENSIONAL ZONE AND THE PALEOCENE TRANSTENSIONAL EVENT	248
	A Conceptual Geometric – Kinematic Model for Late Cretaceous and Middle Paleocene Deformation	249
	SUMMARY OF LATE CRETACEOUS AND PALEOCENE TRANSCURRENT STRUCTURES	250
6	CIRCUM-ARCTIC MODELS	253
	Brief Review of Models of the Amerasian Basin.....	255
	Key Elements of Shell's Amerasian Basin Model.....	255
	Pre-Rift Reconstruction	255
	Timing of Rifting and Sea floor Spreading in the Amerasian Basin.....	257
7	TECTONO-STRATIGRAPHIC EVOLUTION OF THE U.S. CHUKCHI SEA AREA	261
	MIDDLE-LATE DEVONIAN ELLESMERIAN OROGENESIS.....	261
	LATE DEVONIAN-TRIASSIC TECTONO-STRATIGRAPHIC EVOLUTION OF THE ELLESMERIAN MEGA-SEQUENCE.....	263
	Late Devonian-Mississippian Collapse of the Ellesmerian Orogen.....	263
	Late Devonian-Triassic Deposition of the Ellesmerian Mega-Sequence.....	266
	Late Devonian-Mississippian Deposition of the Endicott Group.....	266
	Mississippian-Permian Deposition of the Lisburne Group	268
	Deposition of the Mississippian-Pennsylvanian part of the Lisburne Group	268
	Deposition of the Permian transitional sequence of the Lisburne Group	269
	Late Permian Erosion at the Pre-Echooka Unconformity	269
	Permian-Triassic Deposition of the Sadlerochit Group and Shublik Formation	269
	LATE TRIASSIC-NEOCOMIAN TECTONO-STRATIGRAPHIC EVOLUTION OF THE BEAUFORTIAN MEGA-SEQUENCE.....	271
	Triassic-Middle Jurassic Thermal Bulging and Deposition of the B1 Sequence.....	271
	Middle Jurassic Uplift, MJu Peneplanation, and Formation of the Beaufortian rift fabric	272
	Deposition of the Late Jurassic B2 Sequence.....	273
	The Late Jurassic Rift-to-Drift Transition.....	275
	The Berriasian-Valanginian B3 Sequence	275
	Regional uncertainties concerning the Berriasian-Valanginian B3 Sequence	276
	Deposition of the Berriasian-Valanginian B3 Sequence.....	276
	Development of the Lower Cretaceous Unconformity	279
	The Valanginian-Barremian Deposition of the B4 Sequence.....	279
	The Valanginian Deposition of the Kugaruk C Equivalent.....	279
	Localized Neocomian Contractural Tectonism and Deposition of the Kalubik Formation.....	281

	JURASSIC-RECENT TECTONO-STRATIGRAPHIC EVOLUTION OF THE BROOKIAN MEGA-SEQUENCE	281
	Allochthonous and Para-Autochthonous elements of the Brookian Mega-Sequence	282
	Deposition of the Autochthonous elements of the Brookian Mega-Sequence.....	282
	Deposition of the Aptian-Early Cenomanian Lower Brookian Megacycle	283
	Formation of the ECu	284
	Deposition of the Early Cenomanian-Turonian (?)Middle Brookian Megacycle.....	285
	Late Cretaceous Uplift and Formation of the Cretaceous-Paleocene unconformity (Kpu).....	285
	Deposition of the Cenozoic Upper Brookian Megacycle	286
8	PETROLEUM SYSTEMS.....	295
	HYDROCARBON SOURCE ROCKS.....	296
	The Ellesmerian Mega-Sequence.....	296
	The Hanna Trough	296
	The Hanna Sag Basin	296
	The Chukchi Evaporite Basin	297
	The Beaufortian Mega-Sequence	297
	The Sherwood Basin	297
	The Rift Climax Sub-Basins	297
	The Immediate Post-Rift Basin.....	298
	The Late Post-Rift Basin	298
	The Brookian Mega-Sequence	298
	Source Rock Maturation – Uplift and Erosion History.....	299
	RESERVOIRS	303
	Pre-Ellesmerian Rocks.....	303
	Acoustic Basement.....	303
	Franklinian Mega-Sequence	303
	The Ellesmerian Mega-Sequence.....	304
	The Endicott Group	304
	The Lisburne Group.....	307
	The Sadlerochit Group	307
	The Beaufortian Mega-Sequence	308
	The Brookian Mega-Sequence	308
	The Lower Brookian megacycle.....	309
	The Middle Brookian megacycle	311
	The Upper Brookian megacycle	311
	TRAPS	311
	SEALS.....	312
	TIMING.....	312
	SUMMARY OF PETROLEUM SYSTEMS.....	312
9	DISCUSSION/CONCLUSIONS.....	317
	ABBREVIATIONS.....	321
	GLOSSARY	325

Figure List

Figure 1

Map showing the primary topographic/bathymetric elements of the region, local villages and the location of the study area.

Figure 2

Circumpolar projection of the topography and bathymetry of the Arctic region.

Figure 3

Map showing notable geographic place names, villages, hydrocarbon accumulations, and jurisdictional boundaries.

Figure 4

Map showing the locations of wells referred to in this report.

Figure 5

Histogram of the linear distance of 2-dimensional deep seismic reflection data acquired per year.

Figure 6

Map showing the locations of the seismic data used in this study.

Figure 7

Map of total magnetic anomaly overlain on the depth contour map of the Bu.

Figure 8

Map of the BAFA gravity anomaly (Bouguer gravity anomaly onshore and free-air anomaly offshore).

Figure 9

Map showing the locations of the seismic images shown in this report.

Figure 10

Depth map for the Top Endicott seismic horizon.

Figure 11

Southwest-northeast seismic profile indicating seismic-stratigraphic relationships and nomenclature from the Herald Fold-and-Thrust Belt to the Arctic Platform.

Figure 12

West-east seismic profile showing seismic relationships east of the Klondike well.

Figure 13

Partially and fully interpreted versions of an east-west composite seismic profile connecting the Crackerjack, Burger No. 1, and Diamond wells.

Figure 14

Depth map for the basement unconformity (Bu) where it is mapped beneath the U.S. Chukchi Sea showing the 1st order structural elements.

Figure 15

Depth map for the basement unconformity (Bu) where it is mapped beneath the U.S. Chukchi Sea showing higher order structural elements.

Figure 16

Composite seismic profile extending from the northern Hanna Trough, east to the Diamond Mini-Basin, then north to the western end of the Grantz Transpression Zone.

Figure 17

Isochore map between the Bu and the Top Endicott seismic horizons.

Figure 18

North-south seismic profile highlighting the structurally complex Disturbed Belt.

Figure 19

A northwest-southeast seismic profile across the Grantz Transpression Zone and part of the poorly imaged Far North Sub-Basin.

Figure 20

A northwest-southeast seismic profile highlighting the Grantz Transpression Zone, relationships across it, and internal geometries within sub-Bu units.

Figure 21

Seismic profile in the far northeastern part of the study area displaying relationships among the Grantz Transpression Zone, the eastern part of the North Chukchi High and the Nuwuk Basin sector of the Canada Basin.

Figure 22

Two-way time map of the Bu that extends across the bulk of the U.S. and Russian Chukchi Seas showing significant structural features.

Figure 23

Southwest-northeast seismic profile showing interpreted regional seismic horizons and major faults across the Herald Arch.

Figure 24

Southwest-northeast seismic profile across the Herald Arch showing interpreted seismic horizons.

Figure 25

Composite seismic profile connecting the onshore Tunalik well in the NPR-A with the offshore Burger No. 1 well and flattened on the LCu seismic horizon.

Figure 26

Map differentiating the various units interpreted to stratigraphically overlie the Bu; a supracrop map for the Bu.

Figure 27

Isochore map between the Bu and the Top Shublik seismic horizons.

Figure 28

Flattened and unflattened northwest-southeast seismic profile across the Freezit Half-Graben area.

Figure 29

West-east seismic profile showing the North Burger Fault Block, the Hanna Trough mini-basins, including the Diamond Mini-Basin, and the Boundary Zone.

Figure 30

Composite seismic profile showing the southern terminus of the Diamond Mini-Basin where it is truncated by the PEu.

Figure 31

Composite seismic profile from the northern part of the Chukchi Evaporite Basin, eastward across the Popcorn High, the Popcorn well location, and the Popcorn Anticline; then northward to an apparent northern limit to the Hanna Trough.

Figure 32

Generalized map of units in subcrop to the Middle Jurassic unconformity (MJu) showing southward extent of B1 Sequence slope facies and the approximate outline of the MJu Volcanic Province.

Figure 33

Map and four seismic profiles highlighting seismic geometries in the Ellesmerian Mega-Sequence near the southeastern side of the Crackerjack Ridge.

Figure 34

Composite seismic profile of arbitrary lines from the Steller 3-D seismic survey.

Figure 35

A) Timeslice from a small portion of the Steller 3-D seismic survey showing karst fabric.
B) Seismic profile across the karsted fabric at MJu level showing the cross-sectional view of the karsted fabric.

Figure 36

(A) is a smaller version of figure 37. (B) A cartoon representation of the exposed karsted surface during maximum MJu exposure and the nature of these fabrics as they dip beneath the relatively unkarsted strata of the Lisburne Group.

Figure 37

A 3-dimensional perspective view of the Top Endicott seismic horizon from part of the Steller 3-D seismic survey.

Figure 38

Depth map for the basement unconformity (Bu) beneath the western U.S. Chukchi Sea showing many of the higher order structures in the area.

Figure 39

Unflattened and flattened west-east seismic profile just south of the Klondike well.

Figure 40

Composite seismic profile showing seismic-stratigraphic relationships across the Popcorn Trough and Takahe Terrace, with the Gamma Ray log and stratigraphic picks from the Crackerjack well indicated.

Figure 41

Composite seismic profile across the Chukchi Evaporite Basin.

Figure 42

Seismic profile paralleling the axis of the Chukchi Evaporite Basin.

Figure 43

Isochore map between the Top Endicott and Top Lisburne seismic horizons.

Figure 44

A) Two-way time map to the ECu on the Klondike 3-D survey. B) Two-way time map to the Bu on the Klondike 3-D survey. C) Seismic profile from the Klondike 3-D survey showing general structural/stratigraphic configuration of the Klondike Horst.

Figure 45

A) Seismic profile from the southern part of the Steller 3-D seismic survey. B) a TWT map to the MJu/Top Lisburne seismic horizon showing southeast oriented valleys and ridges interpreted as karts fabric.

Figure 46

Depth map for the Pre-Echooka unconformity (PEu) seismic horizon.

Figure 47

Isochore map between the PEu and the Top Shublik seismic horizons.

Figure 48

Houseknecht and Bird's (2004) figure 3 and our modified version.

Figure 49

Composite seismic section from the Chukchi Sea coastline in NPR-A to the Harrison Bay area.

Figure 50

Depth map for the Top Shublik seismic horizon (is a proxy for the top of the Sag River Formation).

Figure 51

A north-south seismic profile across the Burger-Klondike Arch.

Figure 52

Stratigraphic cross section between the Tunalik and Peard wells showing GR and deep resistivity logs.

Figure 53

A circuitous composite seismic profile from offshore of Tungak Creek well northward around Icy Cape, then southward onshore from near the Tunalik well.

Figure 54

Isochore map between the Top Shublik and MJu seismic horizons.

Figure 55

Depth map for the Middle Jurassic unconformity (MJu) seismic horizon.

Figure 56

Conceptual paleogeographic map of the propagation of seafloor spreading in the Canada Basin (~ 150 Ma, Late Jurassic).

Figure 57

Southwest-northeast seismic profile showing Beaufortian aged rift fabrics.

Figure 58

Isochore map between the MJu and LCu seismic horizons.

Figure 59

Isochore map between the Top Shublik and LCu seismic horizons.

Figure 60

Isochore map of the Beaufortian B2 Sequence between the MJu and JKu seismic horizons.

Figure 61

Depth map for the Jurassic-Cretaceous unconformity (JKu) seismic horizon.

Figure 62

Arbitrary south-north seismic line from the Klondike 3-D seismic survey.

Figure 63

Data supporting the occurrence of volcanic rocks in the Burger Sub-Basin.

Figure 64

Northwest-southeast seismic line showing the general stratigraphic relationships in the Takahe Terrace area.

Figure 65

Depth map of the MJu in the Popcorn Trough area showing the key structural elements, the various evaporitic structures, the Bluefoot Dip Panel, and the location of the seismic profile of Figure 66.

Figure 66

A) A vertically exaggerated perspective view of the JKu depth map in the Bluefoot Dip Panel area. B) A south-north seismic profile across the Bluefoot Dip Panel.

Figure 67

Seismic line USGS line R6 in the central NPR-A, flattened on the LCu seismic horizon.

Figure 68

Isochore map between the JKu and the LCu seismic horizons.

Figure 69

South-north seismic profile from the Chukchi Platform to the North Chukchi Basin.

Figure 70

The well-to-seismic correlation for the Burger No. 1 well stratigraphically near the LCu showing a synthetic seismogram overlain on RFC data from the Burger 3-D seismic survey.

Figure 71

The well-to-seismic correlation for the Klondike well stratigraphically near the LCu showing a synthetic seismogram overlain on RFC data from the Klondike 3-D seismic survey.

Figure 72

Depth map for the Lower Cretaceous unconformity (LCu) seismic horizon.

Figure 73

Cross section and map view of a proprietary seismic inversion attribute from part of the Burger 3-D seismic survey.

Figure 74

Vshale log from the Burger No. 1 well with facies interpretations for the Kuparuk C equivalent unit.

Figure 75

Isochore map between the LCu and the Base Torok unconformity (BTu) seismic horizons.

Figure 76

Isochore map between the LCu and the Early Cenomanian unconformity (ECu) seismic horizons.

Figure 77

Three separate Mass Transport Complexes (MTCs) in strata of the Beaufortian B4 Sequence and Lower Brookian Mega-Sequence.

Figure 78

Isochore map between the LCu and the Top Torok seismic horizons.

Figure 79

Depth map for the Early Cenomanian unconformity (ECu) seismic horizon.

Figure 80

Isochore map between the Top Torok and ECu seismic horizons.

Figure 81

South-north seismic profile in the Klondike area.

Figure 82

West-east seismic profile showing seismic relationships on the western side of the North Chukchi High.

Figure 83

A processed image derived from the Steller 3-D seismic survey showing a dendritic to trellis drainage pattern associated with the ECu.

Figure 84

Isochore map between the ECu and KPu seismic horizons.

Figure 85

Depth map for the Cretaceous-Paleogene unconformity (KPU) seismic horizon.

Figure 86

A) West-east seismic profile of the Central Paleogene Depocenter. B) South-north seismic profile that displays very clear growth strata in the Paleocene section above the Post-KPU Transgressive Package. C) An enhanced map-view image of a vertical interval of seismic data from the Klondike 3-D seismic survey interpreted to represent an incised valley environment at the KPU level.

Figure 87

A) Seismic profile showing the regional position of the Burger Anticline. B) A portion of the larger line in (A) flattened on the LCU.

Figure 88

Isochore map between the KPU and the Top Paleocene seismic horizons.

Figure 89

Schematic cross section of the interpreted tectonic evolution of the Herald Arch and its relationship with several coeval structures to the north.

Figure 90

A) Map of the magnitude of dip on the ECU seismic horizon in the northern half of the Steller 3-D Seismic Survey at the crest of the Crackerjack Ridge. B) A short segment of seismic data across the transverse structure of (A) showing a structural geometry indicative of a

negative flower structure. C) TWT map to the Bu on the Steller 3-D Seismic Survey showing various structural elements.

Figure 91

Schematic block diagrams illustrating the concept of salt migration from the Chukchi Evaporite Basin into the Popcorn Trough.

Figure 92

Southwest-northeast seismic profile across part of the Southern Chukchi Platform showing the Western Province of the Southern Chukchi Platform and part of the Southern Chukchi Platform Horst-and-Graben Province.

Figure 93

Representative seismic profile across the Central Chukchi Anticlinorium.

Figure 94

A simplified southwest-northeast cross-sectional model to explain the basic structural configuration above the Hanna Trough.

Figure 95

Seismic images of two features interpreted to be hydrocarbon expulsion structures.

Figure 96

Depth map of the Cretaceous Paleogene unconformity (KPU) from the western part of the Burger 3-D seismic survey showing a structural pattern generally interpreted to represent a component of sinistral transtension.

Figure 97

Screen image from Shell's regional multi-layered GIS model, showing the Canada Basin and surrounding region.

Figure 98

Tectonic reconstruction of the Arctic region for the Late Triassic using a gravity map backdrop with structural geology overlay.

Figure 99

Uplift data for the Diamond well.

Figure 100

Core porosity vs permeability plot for the Kekiktuk sandstone of the Endicott Group.

Plate List

Plate 1

Wheeler-style chronostratigraphic diagram along a line that connects the five original Chukchi Sea exploratory wells.

Plate 2

Flattened stratigraphic well correlation section connecting the original five Chukchi Sea exploratory wells.

Plate 3

Two regional composite deep seismic reflection profiles showing data from ION Geophysical.

Plate 4

A series of schematic Paleozoic paleogeographic maps exhibiting our gross interpretation for five intervals within the Endicott and Lisburne Groups in the Crackerjack Ridge area.

Plate 5

A seismic/geoseismic traverse (in time) in the Crackerjack Ridge vicinity using data from both the Steller 3-D seismic survey and 2-D data denoting major stratigraphic interpretations and key structural and basin features.

Plate 6

Regional LCu subcrop map.

Plate 7

Depth and cross plots illustrating a variety of organic geochemical and thermal maturity data for the original five Chukchi Sea exploratory wells.

Plate 8

Regional gross depositional environment interpretation timeslice maps for the main Beaufortian stratigraphic sequences.

Plate 9

Subsidence/Uplift History diagrams and data-depth plots for the five exploratory wells in the Chukchi Shelf.

Plate 10

A series of conceptual block diagrams depicting the major tectonic and depositional elements interpreted for selected times.

Table List

Table 1

Table showing known acquisition parameters of the several 3-D seismic surveys in the U.S. Chukchi Sea.

Table 2

Table showing the final depth picks for various formation tops and unconformities in the original five deep exploratory wells in the Chukchi Sea and in the Peard and Tunalik wells.

Table 3

Table showing summary of higher quality AFTA data from the 5 original Chukchi Sea wells.

Table 4

Table showing estimates of total Brookian erosion from various methods.

Table 5

Table showing several reservoir parameters used in the creation of generic reservoir models for both Endicott Group sandstones and Beaufortian sandstones.

Table 6

Table of measured and calculated reservoir parameters for the units within the Brookian Mega-Sequence that were penetrated in the original five Chukchi Sea wells.